

LOG OUT | SEARCH | MY PRODUCTS | CONTACT US | USER GUIDE

27th Edition AC ISC GRG MCM RFC HC CCG TC BHG PIP MCR Date of Service mm/dd/y

Quick Search irf Search

Recovery Facility Care > Optimal Recovery Guidelines > Subacute/Skilled Nursing Facility (SNF) > Orthopedics > Ankle Fracture (S-5100)

Ankle Fracture

ORG: S-5100 (RFC) Link to Codes

Print View

- Clinical Indications for Admission to Recovery Facility
- · Alternative Levels of Care
- Length of Stay
- · Evaluation and Treatment
 - General Treatment Course
 - Extended Stay
 - · Patient Education
- Discharge Planning
- · Quality Measures
- References
- Footnotes
- Codes

MCG Health

Recovery Facility
Care
27th Edition

Clinical Indications for Admission to Recovery Facility

Return to top of Ankle Fracture - RFC

- Skilled nursing facility (SNF) or subacute facility care is/was needed for appropriate care of patient because of ALL of the following:
 - There are no acute hospital care needs.(1)
 - The patient has Intense and complex care needs that make recovery facility care safer and more practical than attempting
 care at a lower level and ALL of the following[A][B](4):
 - These care needs include the multiple components of care that are delivered by skilled professionals at a recovery facility.[C][D][E]
 - There is a plan to provide **ALL** of the following(14):
 - Care plan management and evaluation to meet patient needs, achieve treatment goals, and ensure medical safety(15)
 - Observation and assessment of patient's changing condition to evaluate need for treatment modification or for additional procedures until condition stabilized
 - Education services to teach patient self-maintenance or to teach caregiver patient care(16)(17)
 - Skilled care treatments daily (or more frequent), including 1 or more of the following:
 - Nursing treatments needed for **1 or more** of the following(18):
 - Intravenous (IV) infusion, IV injection, or intramuscular (IM) injection(1)(16)(19)
 - Wound management that requires dressing changes with prescription medication or clean technique and treatment for 1 or more of the following(1):
 - Foot infection or wounds with application of dressing
 - Surgical wound complications
 - Treatment with any stage III or IV pressure injury(16)
 - Treatment with 2 or more ulcers, including venous ulcers, arterial ulcers, or stage II pressure injuries
 - Patient care training and assistance for 1 or more of the following(20):